Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

SG1J

[redacted]

28 Feb 89

[redacted]/NOFORN

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER:	8905	SESSION NUMBER:	06
DATE OF SESSION:	27 FEB 89	DATE OF REPORT:	27 FEB 89
START:	1336	END:	1401
METHODOLOGY:	CRV	VIEWER ID:	095

1. (S/NF/SK) MISSION: To access and describe 'structure B', one of three target structures shown in overhead photo imagery.

2. (S/NF/SK) VIEWER TASKING: "Reaccess 'BUILDING B' and describe."

3. (S/NF/SK) COMMENTS:

a. Inclemencies: None reported.

b. 095 reaccessed the site quickly and proceded to work from the ground floor upward. 095 professed a continued confusion because of a subtle difference between the target's apparent purpose and what 095 felt to be its real purpose ("it's medical, hospital, etc., but that's not what it is!"). In spite of 095's continuing doubt, the final concept of "biological testing" produced an observed reaction of satisfaction, after all the confusion.

c. Summary of Information enclosed.

4. EVALUATION:

3 encl: Viewer Summary
Session transcript
Tasking sheet

HANDLE VIA SKEET CHANNELS ONLY

[redacted]/NOFORN
CLASSIFIED BY: DIA (DT)
DECLASSIFY: OADR

[redacted]/NOFORN

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

CRV Session Summary 27 February 1989
Viewer 095 1336-1401

Structure B has many large rooms. These are of normal (8ft) height but are long and wide. There are lots of hallways and the "wing" concept is used in the organization of the building.

The building has a very aseptic feel. The decor utilizes white colors and everything has a smooth, clean feel. Lots of stainless steel items in the building. There are white counters with bottles, jars and other scientific glassware. There is an old fashioned feel to the equipment. The building and its aseptic nature gave me an AOL of "hospital".

On the ground floor are administrative offices, a storage room for files and a cafeteria. There are many people coming in and out and it is very chaotic. This gave me an AOL of "NSA" which was caused by the concepts:long hallways, people, white collar, government, task oriented scurrying, destination oriented scurrying (people on breaks) and tile floors. The floors on the ground floor are very clean and polished. Some where on the ground floor are some machines used for testing.

The building is administratively organized into departments and sections. The layout of each floor is shown below. The dotted lines represent additional hallways on the ground floor:



The people in the building consider this ring-shaped layout to be a real annoyance because from wherever they are to wherever they want to go, "they can't get there from here." Even if the direct "as the crow flies" distance from one office to another is only 10 feet, they have to walk all the way around the building to get there.

In the building are numerous, large, industrial-size autoclaves. These are used for sterilization. Lots of cloth is used and reused (after being washed and somewhat sterilized) - in a function where the US would use disposables.

Associated with the activity in the building are the concepts of biology and testing. In the building is a woman (AOL:babushka) whose hair is drawn back with cloth or a cap. She is wearing a gown and is performing repetitive, mundane tasks. She is filling test tubes with reagent and carrying them across the room after which she gets more test tubes and fills them and carries them across the room. She does this again and again.

The building gives me an AOL/S of a major biological test laboratory which performs lots of routine, almost factory-like functions.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

095
2772689
1336-1401
Ft Meade
Monitor 18

Pl — none
AV work

S-2 D A1 E1 T1 T 1 Ao Ao4/5

[Building B]

Cold
clean
minist
hall

[inside]

5 windows

green
brown
-grey
w/ Lite

Acous ceil tiles

54'
rooms are large — mind 8 ft Ht but
long + wide.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

2

SZ D A1 E1 T1 T 1 AOC A/S

[inside B]

54½ lots of hallways. – Wing concept in organizatia

White
smooth
clean

aseptic

54½
lots of stainless steel.

white counters
bottles
jars
glassware
scientific

54½ old fashioned feel to the equipment.

AOC BK
A. Kilduff.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

STAGE 6 3

S-2 D A I E I T I T I AOL 4/5

[Groundfloor]

Administration

Sites
Cafeteria
chaotic

54½
lots of people coming in + out.

AOCSC
NSA

Floors very clean + well polished.

Facilities
tests.
Sections.
Departments

54½ - People consider the layout to be a real annoyance because from where ever you are to wherever you want to go - "you can't get there from here" directly even tho as the "crow" flies it's only 10 feet - you have to walk all the way around.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

3b



Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

3C



Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Ax NSA
pria emantias.
hotbarup
long
people.
whitecollar.
gruenwit.
-task oriented
destruction minded
freaks
+ile floors.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

5

S-2 D A I E I T I A O L A/S

A/S
hospital
feel

confusing
something
wrong with
that.

autoclaves.
or sterilizer

S A/L

lots of cloth is used + reused washed
+ "sterilized" — where we (US)
would use disposables.

S A/L

~~lots~~ Lots — industrial size autoclaves.

biology.
samples.

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

6

S-2 D A1 E1 T / AOL A/S

Aousk
Obushka.

AOL/S:

image of woman with hair drawn back with cloth or cap. and in gown. performing repetitive, mundane tasks like filling test tubes with reagent & carrying across room. Going to get more testtubes - filling them with reagent & carrying across room — Over & over again — need no real knowledge to perform task.

AOL/S

Major bio test lab — lots of routine almost factory-like functions.

1401

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7

[redacted]/NOFORN

WORKING PAPER 27 FEB 89

TASKER

1. Encrypted Coordinates: 166997/496912.

2. Tasking: Access "building B" at the site and:

3. Required EEI:

   a. Determine whether it is of intelligence interest.

   b. If so,

      1) Describe its key contents.

      2) Determine its key purpose.

   c. If time permits, find the geographical location of the target site.

[redacted]/NOFORN

Approved For Release 2000/08/08 : CIA-RDP96-00789R000601160001-7